Digital Full Colour Multi-Function Printer



RICOH MP CW2200SP











Designed for your success



New Liquid Gel™ ink technology

This is the very first time that this innovative ink developed by Ricoh has been used on a wide format system. Because of its quick-drying properties, it guarantees high productivity as well as superb line accuracy and is smudge-free and UV-resistant.

High productivity

- Overall warm up time less than 40 seconds
- Runs at up to 1.8 pages per minute (b/w), 0.6ppm (colour) on A0
 3.2 pages per minute (b/w) and 1.1ppm (colour) on A1
- Printing time: For the first five sheets faster than existing LED and inkjet models in its class
- Suction-fed paper handling includes ejection module that reduces feeding time. Can hold 10-sheet stack as standard





Simple full front operation

- Newly designed and flexible colour LCD touch panel
- Easy job programming with intuitive user interface
- Full-colour thumbnail view and preview
- Versatile functionality and supports 20 languages



Designed for your success



New enhanced controller

The MP CW2200SP offers an enhanced controller as well as full network connectivity to streamline your digital wide-format workflow and deliver consistently high throughput.

All functions supported

These include media to print and scan to USB/SD and wireless LAN interface option for remote operation. Full colour technical documents, site plans, elevations, posters, maps and project presentations can be scanned into a variety of file formats such as scan to URL, folder or Network Twain Driver for email, archive and print needs.





Scan preview for increased accuracy

Being able to preview a scanned document before transmission is of huge benefit to improve data input accuracy, especially with confidential documents. You can arrange the preview scale for detailed checking on LCD and, if the image is incorrect or not to your liking, stop transmission. Automatic file naming and number setting makes it simple to archive and retrieve data at a later date.



Safeguard your information



The latest security measures

To handle sensitive information and protect your data against possible threats, whether internal or external, the MP CW2200SP comes equipped with the latest security measures. These include administrator and user authentication as well as external authentication to eliminate spoofing, access restriction, secure scanning with encrypted PDF transmission so data can reach its destination safely.

Protecting data

Data and address book encryption protects the data registered in the MP CW2200SP, even if the built-in memory is removed, disposed of or stolen. Whilst HDD Overwrite prevents data on the hard disk being leaked before machine disposal or allows you to automatically overwrite temporarily stored data.





Protecting the environment

The MP CW2200SP uses 90% less in power consumption than previous models. In fact, at an average of 180W or less, it comes an impressive 30%, or more, lower than its major competitors. Complies with the RoHS directive and is Energy Star compliant. All of which further demonstrates Ricoh's on-going commitment to the environment.





Scanner modules

Full colour scanner with a staggered 5 CIS seating arrangement (Contact Image Sensors) for optimal scanning quality and clarity. Scanning resolution is up to 600dpi.

2 Roll & 2nd roll

Accommodates CAD and GIS needs with a roll feeder that has 210mm -914mm width. A second roll feeder presents a convenient option. Allows usage of a wide variety of paper types from plain, recycled and tracing to matte film, coated paper and other special paper (CAD).

3 Nozzle loss detection module

Ricoh's new technology detects defective nozzles and automatically corrects to ensure consistently high image resolution.

■ New Liquid Gel[™] ink technology

Ricoh's innovative Liquid GEL™ is quick-drying and smudge-free.

Supply module

Mounted with a constant supply system, it continually monitors the ink in the head-tank via a filter sensor. During printing, this ensures that the head-tank avoids running out of ink.

6 Ejection module

Benefitting from new Ricoh technology, this ejection module is installed with a submarine cutter that as it returns from the feeding side reduces feed loss time.

MP CW2200SP

MAIN SPECIFICATIONS

GENERAL

Copy Speed:

Technology: On demand piezo inkjet system
Ink Type: Pigment-based Liquid Gel[™]
Print Speed: A0 SEF: BW (Speed Priority Mode)

1.8ppm, FC 0.6ppm, A1 LEF: BW (Speed Priority Mode) 3.2ppm, FC 1.1ppm

A0 SEF: BW (Speed Priority Mode) 1.8cpm

(Standard Mode) 1.1cpm.
FC (Speed Priority Mode) 0.6cpm
(Standard Mode) 0.3cpm

A1 LEF: BW (Speed Priority Mode) 3.4cpm

(Standard Mode) 2.0cpm FC (Speed Priority Mode) 1.1cpm (Standard Mode) 0.6cpm

Print Resolution: Speed Priority Mode: 600 x 300dpi Standard Mode: 600 x 600dpi Quality Priority Mode: 600 x 600 dpi

Copy Resolution: 600dpi

Warm-up time: Less than 40 sec.

Dimensions (WxDxH) 1,384 x 660 x 1,214mm

Weight: Less than 120kg

Power Source: 220-240V, 1.9A, 50/60Hz

Power Consumption: Printing: less than 180W

SCANNER FEATURE

Resolution: 100/200/300/400/600dpi (Standard)

200dpi (Default)

Scan Speed: BW: 600dpi: 80mm/s, 200dpi: 160mm/s

FC: 600dpi: 26.7mm/s, 200dpi: 40mm/s ea: Max: 914 x 15,000mm

Scan Area: Max: 914 x 15,000mr Min: 210 x 210mm

MEDIA HANDLING

Paper Input Capacity: SEF: A0/A1/A2/A3/A4

LEF: A1/A2/A3/A4
Non-Standard Size: Criginal Length: 21

Original Length: 210- 5,000mm Original Width: 210-914.4mm Maximum Width: 914mm

Paper size: Maximum: 914 x 15,000mm

Roll Feeder, 914 x 2,000mm - Bypass Minimum: 279.4 x 210mm

Paper Weight: Roll Paper: 51-190g/m²
Cut Sheet: 51-220g/m²

PRINT SERVER

Configuration: Embedded (GW Controller)

CPU: Celeron-M 1.0GHz

Memory: 3GB HDD: 250GB

Operating System Windows: XP/Vista/Server2003/

Server2008/ServerR2/7/ Mac: OS 10.2-10.6 or later Citrix Presentation: Server 4.5

(32bit/64bit)

Citrix XenApp5.0 (32bit/64bit)
Citrix XenApp6.0 (32bit/64bit)
Network Protocol: TCP/IP, (IPv4, Ipv6) IPX/SPX
Supported Print Language: PostScript 3, HP-GL, HP-GL2

Supported Print Language: PostScript 3, HP-GL, HP-GL2
PDL Adobe PostScript 3, HDI
Supported Data Format: PDF, TIFF, JPEG

Font: European 136 fonts
Network Interface: Standard: Ethernet
10/100BaseTX.

USB2.0, USB Host, SD card slot Option: Gigabit Ethernet, Wireless

Option: Gigabit Ethernet, Wil LAN(802.11a/g)

Service Interface: USB x1, SD x1

OTHER OPTIONS

2nd Roll Unit/Roll Holder Unit

ENVIRONMENTAL INFORMATION

MP CW2200SP complies with Energy Star 1.1 standards.




























ISO9001 certified, ISO14001

All brand and/or product names are trademarks of their respective owners. External appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are for illustration purposes only, slight differences in detail might appear.

Copyright © 2012 Ricoh Europe PLC. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Europe PLC.

www.ricoh-europe.com

